




Both single and double glazed doors can be ordered glazed or unglazed. The 'R' values shown are from NZ Standard NZS 4218:2004 for Energy Efficiency. **Please note that some size restrictions may apply to larger 'Insulite' units.**

Trendlite Single Glazed




Sash: Paint Quality Cedar, 42mm
 Frame: Paint Quality H3.2/H3.1 Pine
 Jamb: 145 x 42mm
 Sill: Standard Open Out
 Facings: 145x18 Flat
 Prime: 1 Coat Oil Based Primer
 Hardware: Stainless Steel Hinges
 Draught Seals: Aquamac White included.
Glazing: Suitable for Single Glazed units up to 8.38mm thick.






Code	BVF1	BVF2	BVF3
Min Height	2030mm	2030mm	2030mm
Max Height	2400mm	2400mm	2400mm
Min Width	970mm	970mm	970mm
Max Width	1670mm	1670mm	1670mm
'R' Value - Single Glaze (6.38 Laminated Clear 'Low E' Glass)	0.27	0.27	0.27
'R' Value - Double Glaze (4mm Clear, 10 Air, 4mm Clear)	0.36	0.36	0.36

Insulite Double Glazed

Sash: Paint Quality Cedar, 56mm
 Frame: Paint Quality H3.2/H3.1 Pine
 Jamb: 145 x 42mm
 Sill: Standard Open Out
 Facings: 140x18 Flat
 Prime: 1 Coat Oil Based Primer
 Hardware: Stainless Steel Hinges
 Draught Seals: Aquamac White included.
Glazing: Suitable for Double Glazed units up to 21mm thick.



Code	BVF4	BVF8	BVF9
Min Height	2030mm	2030mm	2030mm
Max Height	2400mm	2400mm	2400mm
Min Width	970mm	1170mm	1370mm
Max Width	1670mm	1670mm	1670mm
'R' Value - Single Glaze (6.38 Laminated Clear 'Low E' Glass)	0.27	0.27	0.27
'R' Value - Double Glaze (4mm Clear, 10 Air, 4mm Clear)	0.36	0.36	0.36



Code	BVF1 2S	BVF1 1F	BVF1 2SF
Min Height	2030mm	2100mm	2100mm
Max Height	2400mm	2700mm	2700mm
Min Width	1970mm	970mm	1970mm
Max Width	3370mm	1670mm	3370mm
'R' Value - Single Glaze (6.38 Laminated Clear 'Low E' Glass)	0.27	0.27	0.27
'R' Value - Double Glaze (4mm Clear, 10 Air, 4mm Clear)	0.36	0.36	0.36



Both single and double glazed doors can be ordered glazed or unglazed. The 'R' values shown are from NZ Standard NZS 4218:2004 for Energy Efficiency. **Please note that some size restrictions may apply to larger 'Insulite' units.**

Code: BVBFD2

Min Height: 2100mm
 Max Height: 3000mm
 Min Width: 990mm
 Max Width: 1585mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)



Trendlite Single Glazed



Sash: Paint Quality Cedar, 42mm
 Frame: Paint Quality H3.2/H3.1 Pine
 Jamb: 145 x 42mm
 Sill: Standard Open Out
 Facings: 140x18 Flat
 Prime: 1 Coat Oil Based Primer
 Hardware: Stainless Steel Hinges
 Draught Seals: Aquamac White included.
Glazing: Suitable for Single Glazed units up to 8.38mm thick.

Code: BVBFD3

Min Height: 2100mm
 Max Height: 3000mm
 Min Width: 1450mm
 Max Width: 2350mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)



Insulite Double Glazed



Sash: Paint Quality Cedar, 56mm
 Frame: Paint Quality H3.2/H3.1 Pine
 Jamb: 145 x 42mm
 Sill: Standard Open Out
 Facings: 140x18 Flat
 Prime: 1 Coat Oil Based Primer
 Hardware: Stainless Steel Hinges
 Draught Seals: Aquamac White included.
Glazing: Suitable for Double Glazed units up to 21mm thick.

Code: BVBFD4

Min Height: 2100mm
 Max Height: 3000mm
 Min Width: 2000mm
 Max Width: 3100mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)





These doors are available as 'multi lites'. Please ask for more details

Code: BVBFD5

Min Height: 2100mm
 Max Height: 3000mm
 Min Width: 2400mm
 Max Width: 3900mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)





Code: BVBFD6

Min Height: 2100mm
 Max Height: 3000mm
 Min Width: 2900mm
 Max Width: 4600mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)




Both single and double glazed doors can be ordered glazed or unglazed. The 'R' values shown are from NZ Standard NZS 4218:2004 for Energy Efficiency. **Please note that some size restrictions may apply to larger 'Insulite' units.**

Code: BVSSD2

Min Height: 2030mm
 Max Height: 2400mm
 Min Width: 1200mm
 Max Width: 3000mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)



Trendlite Single Glazed


Sash: Paint Quality Cedar, 42mm
 Frame: Paint Quality H3.2/H3.1 Pine
 Jamb: 145 x 42mm
 Sill: Standard Open Out
 Facings: 140x18 Flat
 Prime: 1 Coat Oil Based Primer
 Hardware: Stainless Steel Hinges
 Draught Seals: Aquamac White included.
Glazing: Suitable for Single Glazed units up to 8.38mm thick.

Code: BVSSD3

Min Height: 2030mm
 Max Height: 2400mm
 Min Width: 1700mm
 Max Width: 4400mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)



Insulite Double Glazed


Sash: Paint Quality Cedar, 56mm
 Frame: Paint Quality H3.2/H3.1 Pine
 Jamb: 145 x 42mm
 Sill: Standard Open Out
 Facings: 140x18 Flat
 Prime: 1 Coat Oil Based Primer
 Hardware: Stainless Steel Hinges
 Draught Seals: Aquamac White included.
Glazing: Suitable for Double Glazed units up to 21mm thick.

Code: BVSSD4

Min Height: 2030mm
 Max Height: 2400mm
 Min Width: 2300mm
 Max Width: 5800mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)




These doors are available as 'multi lites'. Please ask for more details

Code: BVOSD1


Min Height: 2030mm
 Max Height: 2400mm
 Min Width: 1000mm
 Max Width: 2400mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)



Closed




Open

Code: BVOSD2


Min Height: 2030mm
 Max Height: 2400mm
 Min Width: 1600mm
 Max Width: 4800mm

'R' Value Single Glaze 0.27
 (6.38 Laminated Clear 'Low E' Glass)

'R' Value Double Glaze 0.36
 (4mm Clear, 10 Air, 4mm Clear)




Closed



Open


The following entrance door sets are based on 6 of our most popular entrance doors. The doors are all standard sized (2080 x 860mm) with variable width / height side panels & fanlights. The dimensions are overall including jambs and from the top of the frame to the underside of the exterior sill at the wall threshold. The delivery time for each of these items is normally 4 weeks from receipt of order/deposit.



JSD1/1S - Paint Quality

Pre Hung JSD1 Entrance Door with Fixed Side Light to match


Overall Height	2150mm
Minimum width	1230mm
Maximum Width	1420mm



JSD1/2S - Paint Quality

Pre Hung JSD1 Entrance Door with 2 Fixed Side Lights to match


Overall Height	2150mm
Minimum width	1540mm
Maximum Width	1920mm



JSD1/1F - Paint Quality

Pre Hung JSD1 Entrance Door with Fixed Fanlight Window over.


Minimum Height	2490mm
Maximum Height	2640mm
Overall Width	920mm



JSD1/2SF - Paint Quality

Pre Hung JSD1 Entrance Door with 2 Fixed Side Lights to match and Fixed Fanlight Windows over.


Minimum Height	2490mm
Maximum Height	2640mm
Minimum width	1540mm
Maximum Width	1920mm



JSD2/1S - Paint Quality

Pre Hung JSD2 Entrance Door with Fixed Side Light to match


Overall Height	2150mm
Minimum width	1230mm
Maximum Width	1420mm



JSD2/2S - Paint Quality

Pre Hung JSD2 Entrance Door with 2 Fixed Side Lights to match


Overall Height	2150mm
Minimum width	1540mm
Maximum Width	1920mm



JSD2/1F - Paint Quality

Pre Hung JSD2 Entrance Door with Fixed Fanlight Window over


Minimum Height	2490mm
Maximum Height	2640mm
Overall Width	920mm



JSD2/2SF - Paint Quality

Pre Hung JSD2 Entrance Door with 2 Fixed Side Lights to match and Fixed Fanlight Windows over.


Minimum Height	2490mm
Maximum Height	2640mm
Minimum width	1540mm
Maximum Width	1920mm



JSD3/1S - Paint Quality

Pre Hung JSD3 Entrance Door with Fixed Side Light to match


Overall Height	2150mm
Minimum width	1230mm
Maximum Width	1420mm



JSD3/2S - Paint Quality

Pre Hung JSD3 Entrance Door with 2 Fixed Side Lights to match


Overall Height	2150mm
Minimum width	1540mm
Maximum Width	1920mm



JSD3/1F - Paint Quality

Pre Hung JSD3 Entrance Door with Fixed Fanlight Window over.

Minimum Height	2490mm
Maximum Height	2640mm
Overall Width	920mm




JSD3/2SF - Paint Quality

Pre Hung JSD3 Entrance Door with 2 Fixed Side Lights to match and Fixed Fanlight Windows over.

Minimum Height	2490mm
Maximum Height	2640mm
Minimum width	1540mm
Maximum Width	1920mm


The following entrance door sets are based on 6 of our most popular entrance doors. The doors are all standard sized (2080 x 860mm) with variable width / height side panels & fanlights. The dimensions are overall including jambs and from the top of the frame to the underside of the exterior sill at the wall threshold. The delivery time for each of these items is normally 4 weeks from receipt of order/deposit.



JSD4/1S - Paint Quality

Pre Hung JSD4 Entrance Door with Fixed Side Light to match


Overall Height	2150mm
Minimum width	1230mm
Maximum Width	1420mm



JSD4/2S - Paint Quality

Pre Hung JSD4 Entrance Door with 2 Fixed Side Lights to match


Overall Height	2150mm
Minimum width	1540mm
Maximum Width	1920mm



JSD4/1F - Paint Quality

Pre Hung JSD4 Entrance Door with Fixed Fanlight Window over.


Minimum Height	2490mm
Maximum Height	2640mm
Overall Width	920mm



JSD4/2SF - Paint Quality

Pre Hung JSD4 Entrance Door with 2 Fixed Side Lights to match and Fixed Fanlight Windows over.


Minimum Height	2490mm
Maximum Height	2640mm
Minimum width	1540mm
Maximum Width	1920mm



JSD22/1S - Paint Quality

Pre Hung JSD22 Entrance Door with Fixed Side Light to match


Overall Height	2150mm
Minimum width	1245mm
Maximum Width	1420mm



JSD22/2S - Paint Quality

Pre Hung JSD22 Entrance Door with 2 Fixed Side Lights to match


Overall Height	2150mm
Minimum width	1570mm
Maximum Width	1920mm



JSD22/1F - Paint Quality

Pre Hung JSD22 Entrance Door with Fixed Fanlight Window over.


Minimum Height	2490mm
Maximum Height	2640mm
Overall Width	920mm



JSD22/2SF - Paint Quality

Pre Hung JSD22 Entrance Door with 2 Fixed Side Lights to match and Fixed Fanlight Windows over.


Minimum Height	2490mm
Maximum Height	2640mm
Minimum width	1540mm
Maximum Width	1920mm



JSD21/1S - Paint Quality

Pre Hung JSD21 Entrance Door with Fixed Side Light to match

Overall Height	2150mm
Minimum width	1245mm
Maximum Width	1420mm



JSD21/2S - Paint Quality

Pre Hung JSD21 Entrance Door with 2 Fixed Side Lights to match


Overall Height	2150mm
Minimum width	1570mm
Maximum Width	1920mm



JSD21/1F - Paint Quality

Pre Hung JSD21 Entrance Door with Fixed Fanlight Window over.

Minimum Height	2490mm
Maximum Height	2640mm
Overall Width	920mm



JSD21/ 2SF - Paint Quality

Pre Hung JSD21 Entrance Door with 2 Fixed Side Lights to match and Fixed Fanlight Windows over.

Minimum Height	2490mm
Maximum Height	2640mm
Minimum width	1540mm
Maximum Width	1920mm