Bungalow & Villa
TIMBER RENOVATION PRODUCTS



TIMBER RENOVATION PRODUCTS

CATALOGUE

August 2026

- SKIRTINGS
- ARCHITRAVES
- HANDRAILS
- FRETWORK
- BALUSTRADES
- POST CAPS
- AND MUCH MORE...

www.bungalowandvilla.co.nz

USEFUL INFORMATION

CONTACT: Ph: (07) 846 1502 or 0800 428 642 | email: info@bungalowandvilla.co.nz

ROTORUA: 12–14 Allen Mills Road, PO Box 1611, Ngapuna, Rotorua 3010

WEBSITE: **www.bungalowandvilla.co.nz**

OPENING HOURS:
Monday–Friday: 8am – 4.30pm
Public Holidays: Closed

ACCEPTED PAYMENT:
Eftpos, Credit Cards (excl AMEX & Diners), Internet banking.

CREDIT ACCOUNTS:
We offer trade credit accounts to Trade Customers and Merchants. Our terms of trade are strictly payment by the 20th of the month following purchase. Credit account application forms can be supplied upon request. Conditions apply.

DISPLAYS / SHOWROOM:
Our Rotorua Sales Centre has a wide range of display products, including switches, balustrades, finials and fretwork.

SPECIAL ORDERS:
Please contact us for information regarding special order products.

DELIVERY:
Many of our products are large and bulky. We encourage customers to take advantage of our competitively priced delivery service.

FREIGHT & COURIERS:
Our prices do not include freight (or delivery), however, we will be happy to provide you with a competitive quote.

CANCELLATIONS & RETURNS:
We understand that sometimes you may need to cancel an order or return products. Our Cancellation, Credit, Claims & Returns Procedure is detailed on page 56.

DISCLAIMER:
We aim to ensure that all product information and specifications within this guide are correct and accurate at the time of print production. However, there are times when specifications change. We recommend you confirm all product details at the time of order.

CONTENTS

Mouldings:

Weatherboards	5
Traditional Skirtings	6
Traditional Architraves	8
Bungalow Skirtings & Architraves	10
Government Skirtings & Architraves	11
Art Deco Skirtings & Architraves	12
Contemporary Architraves	13
Contemporary Picture & Dado Rails	14
Eaves Moulds	15
Scotia	16
Column Mouldings	18
Villa Boxed Corners	18
Ceiling Battens	19
Quad & Half Round Mouldings	20
Scribers	20
General & Glazing Mouldings	21
Bolection Mouldings	23
Handrails	24
Bottom Rails & Fillets	26
Handrail Brackets	27
T&G and Dressed Timber	28
Joinery	30

Turnings:

Turned Timber Table Legs	31
Verandah & Gate Posts	32
Finials	33
Balusters	35
Villa Newel Posts	36
Bungalow Newel Posts	37
Post Caps	38
Teardrops, Bargeboard Turnings, Spindles & Architrave Blocks	40

Fretwork:

Moulded Ceiling Roses	43
Lacework & Brackets	44
Bungalow Brackets	47
Eaves Brackets	48

Corbels:

Interior Corbels	47
Exterior Corbels	47
Fence Pickets & Palings	49
Verandahs	50

Care of Timber Products	54
Specification References	55
Cancellation, Credit, Claims & Returns Procedure	56
Glossary of Terms	58



WEATHERBOARDS

Bevelback:

A 

B 

Rusticated:

C 

D 

Rusticated Weatherboard Plug

E 

Please Note:

Illustrated weather grooves are shown as an indication only and may differ in detail from time to time.

Specifications:	Clears 1–2 grade Pine	H3.1 treatment and two coats of primer

	Product Code	Height mm	Depth mm	Finish
A	MWBB230T	230	18	H3.1 Pre-primed Dual Coat Pine Clears 1–2
B	MWBB210T	210	18	H3.1 Pre-primed Dual Coat Pine Clears 1–2
C	MWBR230T	230	18	H3.1 Pre-primed Dual Coat Pine Clears 1–2
D	MWBR215T	215	18	H3.1 Pre-primed Dual Coat Pine Clears 1–2
E	MWBPT	36	9	Pre-primed H3.1 FJ Pine (Suitable for our 215 Weatherboard only)

- H3.2 PP available for special order only. Minimum order quantities apply.

TRADITIONAL SKIRTINGS

No. 1



No. 2



No. 3



No. 4



No. 5



No. 6



No. 7



No. 8



	Product Code	Height mm	Depth mm	Finish
No. 1	MS1280P	280	18	FJ KD Pine
	MS1230P	230	18	FJ KD Pine
	MS1180P	180	18	FJ KD Pine
	MS1180T	180	18	FJ H3.1 & Primed
	MS1135P	135	18	FJ KD Pine
No. 2	MS2230P	230	18	FJ KD Pine
	MS2180P	180	18	FJ KD Pine
No. 3	MS3230P	230	18	FJ KD Pine
	MS3180P	180	18	FJ KD Pine
No. 4	MS4180P	180	18	FJ KD Pine
	MS4135P	135	18	FJ KD Pine
No. 5	MS5180P	180	18	FJ KD Pine
	MS5135P	135	18	FJ KD Pine
No. 6	MS6180P	180	18	FJ KD Pine
No. 7	MS7180P	180	18	FJ KD Pine
No. 8	MS8140P	140	18	FJ KD Pine

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

TRADITIONAL ARCHITRAVES

No. 1 Arc



No. 5 Arc



No. 6 Arc



No. 2 Arc



No. 3 Arc



No. 120 Arc




No. 4 Arc



No. 7 Arc



No. 13 Arc



No. 12 Arc



No. 42 Arc



No. 8 Arc



No. 9 Arc



No. 14 Arc



No. 40 Arc




No. 110 Arc



No. 41 Arc



No. 10 Arc



No. 15 Arc



No. 45 Arc



	Product Code	Width mm	Depth mm	Finish
No. 1	MA1P	125	18	FJ KD Pine
	MA1T	125	18	FJ H3.1 & Primed
No. 2	MA2P	115	18	FJ KD Pine
No. 3	MA3P	90	18	FJ KD Pine
No. 4 *	MA4P	90	18	FJ KD Pine
No. 5	MA5P	65	18	FJ KD Pine
No. 6	MA6P	60	18	FJ KD Pine
No. 7	MA7P	90	14	FJ KD Pine
No. 8	MA8P	65	14	FJ KD Pine
No. 9	MA9P	135	14	FJ KD Pine
No. 10	MA10T	135	30	FJ H3.1 & Primed
No. 12	MA12P	85	18	FJ KD Pine
No. 13	MA13T	45	14	FJ H3.1 & Primed
No. 14	MA14P	138	18	FJ KD Pine
No. 15	MA15P	140	32	FJ KD Pine
No. 40	MA40P	115	26	FJ KD Pine
No. 41 *	MA41P	125	30	FJ KD Pine
No. 42 *	MA42P	100	18	FJ KD Pine
No. 45	MA45T	135	30	FJ H3.1 & Primed
No. 110	MA110P	110	30	FJ KD Pine
No. 120	MA120P	60	18	FJ KD Pine

* Made to order.

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

BUNGALOW SKIRTINGS & ARCHITRAVES

Bungalow Skirting:

A



Medium Bevel Bungalow Skirting:

B



C



Short Bevel Bungalow Skirting:

D



Bungalow Architraves:

E



F



G



H



	Product Code	Height mm	Depth mm	Finish
A	MSB230P	230	18	FJ KD Pine
	MSB210P	210	18	FJ KD Pine
B	MSBMB230P	230	18	FJ KD Pine
	MSBMB210P	210	18	FJ KD Pine
C	MSBMB180P	180	18	FJ KD Pine
D	MSBSB210P	210	18	FJ KD Pine
E	MAB135P	135	18	FJ KD Pine
F	MAB115P	115	18	FJ KD Pine
G	MAB90P	90	18	FJ KD Pine
H	MAB65P	65	18	FJ KD Pine

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

Profile illustrations are not to scale

GOVERNMENT SKIRTINGS & ARCHITRAVES

Government 3 Skirtings:

I 

J 

Government 1 Skirtings:

K 

L 

Government 3 Architraves:

M 

N 

Government 1 Architraves:

O 

P 

	Product Code	Height mm	Depth mm	Finish
I	MSG3180P	180	18	FJ KD Pine
J	MSG3135P *	135	18	FJ KD Pine
K	MSG1180P *	180	18	FJ KD Pine
L	MSG1135P	135	18	FJ KD Pine
M	MAG390P	90	18	FJ KD Pine
N	MAG365P	65	18	FJ KD Pine
O	MAG190P *	90	18	FJ KD Pine
P	MAG165P *	65	18	FJ KD Pine

* Made to order.

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

ART DECO SKIRTINGS & ARCHITRAVES

Art Deco 1 Skirtings:

A



B



Art Deco 1 Architrave:

C



Art Deco 2 Architrave:

D



Art Deco 2 Skirtings:

E



F



	Product Code	Width mm	Depth mm	Finish
A	MSAD1180P	180	18	FJ KD Pine
B	MSAD1135P	135	18	FJ KD Pine
C	MAAD190P	90	18	FJ KD Pine
D	MAAD290P	90	18	FJ KD Pine
E	MSAD2180P	180	18	FJ KD Pine
F	MSAD2135P *	135	18	FJ KD Pine

* Made to order.

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

CONTEMPORARY ARCHITRAVES

Bull Nose Architraves:

A 

Lamb's Tongue Architraves:

B 

C 

D 

	Product Code	Width mm	Depth mm	Finish
A	MABN60P *	60	18	FJ KD Pine
B	MA11P	115	18	FJ KD Pine
C	MALT45P	45	8	FJ KD Pine
D	MALT55P	55	8	FJ KD Pine

* Made to order.

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

CONTEMPORARY PICTURE & DADO RAILS

Dado Rails:


Dado B5



Dado 1



Rebated Dado




Picture Rails:


Picture Rail 1



Picture Rail 2




Picture Rail 3



	Product Code	Width mm	Depth mm	Finish
Rebated Dado	MDRP	65	35	FJ KD Pine
Dado 1	MD1P	65	18	FJ KD Pine
Dado B5	MDB5P	33	16	FJ KD Pine
Picture Rail 1	MPR1P	45	19	FJ KD Pine
Picture Rail 2	MPR2P	60	19	FJ KD Pine
Picture Rail 3	MPR3P	61	29	FJ KD Pine

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

EAVES MOULDS



	Product Code	Width mm	Depth mm	Finish
EM1	MEM1T	31	40	Treated & Primed
EM3	MEM3T	25	30	Treated & Primed
EM5	MEM5T	25	25	Treated & Primed
EM6 *	MEM6T	26	26	Treated & Primed
EM7	MEM7T	41	41	Treated & Primed
EM8	MEM8T	61	42	Treated & Primed


For External & Internal Applications:

	Product Code	Cover (Wall x Ceiling)	Dimensions (mm)	Finish
091 Scotia	MS091T	44 x 31	44 x 31	Treated & Primed
330 Scotia *	MS330T	45 x 45	60 x 18	Treated & Primed
No. 9 Eaves Mould *	MEM9T	90 x 90	124 x 32	H3.1 PP

* Made to order.

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

SCOTIA


J
MSJP
S11
MS11P
M
MSMP
Colonial 1
MSCP
S6
MS6P
S8
MSS8P
S1
MS1P
Colonial 2
MSC2P
Fletcher 2
MSF2P
S5
MS5P
Dowel
Scotia
MSDP
Bevelled 7
MS7P
Fletcher 1
MSF1P
Fletcher 3
MSF3P
Bungalow
MS4P

	Product Code	Cover (Wall x Ceiling)	Dimensions mm	Finish
J	MSJP	65 x 60	87 x 35	FJ KD Pine
M	MSMP	60 x 58	84 x 18	FJ KD Pine
Colonial 1	MSCP	60 x 60	85 x 18	FJ KD Pine
Colonial 2	MSC2P	55 x 55	76 x 20	FJ KD Pine
Fletcher 1	MSF1P	65 x 60	90 x 18	FJ KD Pine
Fletcher 2	MSF2P	45 x 40	65 x 18	FJ KD Pine
Fletcher 3	MSF3P	70 x 85	108 x 21	FJ KD Pine
S1	MS1P	44 x 44	65 x 18	FJ KD Pine
S11	MS11P	77 x 73	112 x 20	FJ KD Pine
Dowel *	MSDP	18 x 18	41 x 33	FJ KD Pine
S5 *	MS5P	30 x 30	40 x 15	FJ KD Pine
S6	MS6P	37 x 37	50 x 18	FJ KD Pine
S8	MSS8P	42 x 42	60 x 18	FJ KD Pine
Bungalow	MS4P	28 x 28	30 x 16	FJ KD Pine
Bevelled 7 *	MS7P	30 x 18	30 x 18	FJ KD Pine

* Made to order.

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

COLUMN MOULDINGS

Column mouldings are available in finger jointed Pine, H3.2 treated.







How much post mould do I need?

Indications allow for mitred corners and saw cut wastage.


88mm dressed posts:	800mm
112mm dressed posts:	900mm
135mm dressed posts:	1000mm

Product Code	Width mm	Depth mm	Finish
MLT	90	42	Treated
MPM2T	100	42	Treated
MPM3T	80	42	Treated

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

VILLA BOXED CORNERS


Our Villa Boxed Corner set has a left and right piece which fit together to make a neat Boxed Corner.
Available in 5.4m lengths and made from H3.1 pre-primed finger jointed pine.



Product Code	Piece 1	Piece 2	Cover	Finish
TFJBCT *	88 x 18mm	100 x 18mm	83 x 82mm	Treated & Primed

* Made to order.

CEILING BATTENS



Please Note:

Ceiling Battens are only sold in full lengths

Product Code	Height mm	Depth mm	Finish
MBFP	64	18	FJ KD Pine
MBGP	40	18	FJ KD Pine
MBG2P	60	18	FJ KD Pine
MBHP	90	13	FJ KD Pine
MBIP	56	14	FJ KD Pine
MBJP	90	12	FJ KD Pine
MBKP	88	12	FJ KD Pine
MBK2P	88	15	FJ KD Pine
MBLP *	66	15	FJ KD Pine
MBMP *	44	16	FJ KD Pine

* Made to order.

QUAD & HALF ROUND MOULDINGS

A 

B 

C 

	Product Code	Width mm	Depth mm	Finish
A	MQ1P	12	12	FJ KD Pine
B	MQ3P	10	10	FJ KD Pine
C	ME75P	65	18	FJ KD Pine

* Made to order.

- All products only available in complete lengths of 5.4m.

SCRIBERS

All our Scribers are stocked in H3.1 PP and are suitable for external use.

D 

E 

F 

	Product Code	Width mm	Depth mm	Finish
D	MSB25T	25	9	Treated & Primed
E	MSB32T	32	16	Treated & Primed
F	MSB48T *	48	16	Treated & Primed

* Made to order.

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

GENERAL & GLAZING MOULDINGS

General:

G



Bull Nose

Glazing Bar:

H



Ovolo

Glazing Beads:

GB1



MG1

GB3



MGB3

	Product Code	Width mm	Depth mm	Finish
G	MBNP	45	39	FJ KD Pine
H	MGBOT *	42	22	Treated KD Pine
GB1	MG1T	10	6	Treated
GB3	MGB3T	19	12	Treated & Primed

* Made to order.

- All products only available in complete lengths of 5.4m.



BOLECTION MOULDINGS

Standard Bolection Mouldings:



B50



D Mould



E Mould



B172



M Mould



B30



B40



C Mould



B12



B20

	Product Code	Width mm	Depth mm	Finish
B50	MB50T	47	27	Treated & Primed
	MB50P	47	27	UT FJ KD Pine
B40	MB40T	40	20	Treated & Primed
	MB40P	40	20	UT FJ KD Pine
B30	MB30T	30	16	Treated & Primed
	MB30P	30	16	UT FJ KD Pine
B172	MB172T	32	15	Treated & Primed
	MB172P	32	15	UT FJ KD Pine
B20	MB20T	20	13	Treated & Primed
	MB20P	20	13	UT FJ KD Pine
B12	MB12T	15	10	Treated & Primed
	MB12P	15	10	UT FJ KD Pine
C Mould	MCT	42	18	Treated & Primed
D Mould	MDT	40	25	Treated & Primed
E Mould	MET	25	11	Treated & Primed
M Mould	MBMT	40	32	Treated & Primed
Small Trans	MTST	49	25	Treated & Primed
Large Trans	MTLT	65	28	Treated & Primed
B Mould	MBT	65	27	Treated & Primed

Rebated Bolection Mouldings:



LargeTrans Mould



Small Trans Mould



B Mould

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

HANDRAILS

Please note that all Paint Quality Handrails are produced from Finger Jointed Pine, except for MHR45 and MHR50, which are produced in Clear Pine.



HR1



HR45



HR3



HR30




HR50



HR20



HR2






HR4



HR5



HR17



HR18

HR6, HR7 & HR14


	Product Code	Width mm	Depth mm	Finish	Suited To
HR1	MHR1T	85	43	H3.2 KD Pine	*Bottom Rails: BR4 & 5* *Balusters: All Stock Models*
HR2	MHR2T	85	62	H3.2 KD Pine	*Bottom Rails: BR4 & 5* *Balusters: All Stock Models*
HR20	MHR20T	85	62	H3.2 KD Pine	*Bottom Rails: BR4 & 5* *Balusters: 58mm balusters*
HR3	MHR3T	80	42	H3.2 KD Pine	*Bottom Rails: BR1,4 & 5* *Balusters: All 42mm*
HR30	MHR30T	80	42	H3.2 KD	*Bottom Rails: BR1,4 & 5* *Balusters: All 58mm*
HR4	MHR4T	65	45	H3.2 KD Pine	*Bottom Rail: BR9* *Balusters: All 42mm*
HR5	MHR5T	65	42	H3.2 KD Pine	*Bottom Rails: BR2 & 9* *Balusters: All 42mm*
	MHR5P	65	42	FJ UT KD Pine	
HR6, HR7, HR14	MHR6T	135	42	H3.2 KD Pine	*HR6, 7 & 14 are normally fixed to a wall via blocks or brackets*
	MHR7T	90	42	H3.2 KD Pine	
	MHR14T	185	42	H3.2 KD Pine	
HR17	MHR17T	80	42	H3.2 KD Pine	*Bottom Rails: BR5, 8 & 9* *Balusters: N*
HR18	MHR18T *	65	42	H3.2 KD Pine	*19mm groove for T&G Palings*
HR45, HR50	MHR45P	45mm Diameter		KD Pine	
	MHR45T	45mm Diameter		H3.2 KD Pine	
	MHR50P	50mm Diameter		KD Pine	
	MHR50T	50mm Diameter		H3.2 KD Pine	

* Made to order.


- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

BOTTOM RAILS & FILLETS

Bottom Rails:



BR1



BR2



BR5




BR9




BR4



BR6




BR8



BR7

Capping Mouldings:



Fillets:



	Product Code	Width mm	Height mm	Finish
BR1	MBR1P	80	32	Untreated KD Pine
	MBR1T	80	32	H3.2 KD Pine
BR2	MBR2P	65	36	Untreated KD Pine
	MBR2T	65	36	H3.2 PP Pine
BR4	MBR4T	85	42	H3.2 KD Pine
BR5	MBR5T	80	40	H3.2 KD Pine
BR9	MBR9T	65	40	H3.2 KD Pine
BR6	MBR6T	90	42	H3.2 KD Pine
BR7	MBR7T	65	42	H3.2 KD Pine
	Ideal for 18mm Palings and easy to install.			
BR8	MBR8T	65	42	H3.2 KD Pine
	Ideal for 42mm Balusters and easy to install.			

	Product Code	Width mm	Height mm	Finish
A	MF1T	42	10	Treated KD Pine
B	MF2T	42	12	Treated PP
1	MCM1140T	140	42	H3.2 KD Pine
	MCM1180T *	180	42	H3.2 KD Pine
2	MCM2140T	140	42	H3.2 KD Pine

* Made to order.

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

HANDRAIL BRACKETS



OF54SS



5166SC


Angled, Curved Mount

Code	Finish	Projection	Suitable For
5166SC	Satin Chrome **	60mm	HR45 & HR50 ***
OF54SS	Stainless Steel	60mm	


** A packer is available

T&G AND DRESSED TIMBER

Pine T&G and T,G&V:



T,G&V Panelling:



T&G | T,G & V | T,G & V Panelling

Our T&G is made from Clears 1–2 grade Pine, treated to H3.2 and primed.

	Product Code	Width mm	Depth mm	Finish
A	MTG135T	135	18	Pre-primed H3.2
B	MTG90T	90	18	Pre-primed H3.2
C	MTGVV135T	135	18	Pre-primed H3.2
D	MTGVV90T	90	18	Pre-primed H3.2
E	MTGP90T *	90	10	H3.2 Treated Pine
F	MTGV302T *	137	11	Pre-primed H3.1 FJ
G	MTGV321T *	137	11	Pre-primed H3.1 FJ

* Made to order.


Dressed Timber D4S – Dimensions shown are finished sizes.

	Product Code	Width mm	Depth mm	Bundle Size	
Pre-primed FJ Treated Pine • 18mm Thick • Finger Jointed • 5.4m Lengths:	FJ40/18TP	40	18	12	Treated & Primed
	TFJ65/18TP	65	18	12	
	TFJ90/18TP	90	18	12	
	TFJ115/18TP	115	18	6	
	TFJ135/18TP	140	18	6	
	TFJ180/18TP	180	18	6	
FJ Untreated Pine • 18mm Thick • Finger Jointed • 5.4m Lengths • Untreated:	T40/18P	40	18	12	Untreated & Unprimed
	T65/18P	65	18	12	
	T90/18P	90	18	12	
	T115/18P	115	18	6	
	T135/18P	135	18	6	
	T180/18P	180	18	6	
Untreated Pine Premium • 18mm Thick • Premium Grade • 4.8m Lengths	T40/18P	40	18	6	KD Pine
	T65/18P	65	18	6	
	T90/18P	90	18	6	
	T115/18P	115	18	6	
	T140/18P	140	18	6	
	T180/18P	180	18	6	

All made to order.

JOINERY

Window Sills:



A Standard Casement Sill

Door & Window Stiles:



B Window Sash Stile

Door Sills:



C Open Out Door Sill



D Open In Door Sill

Mullion:

E



Exterior Door & Window Jambs:



F Rebated Jamb

	Product Code	Dimensions mm	Finish
A	TJPS134/42TE *	134 x 40	Treated KD Pine
B	TJPSS55TE	55 x 42	Treated KD Pine
C	TJPS00TE	183 x 38	Treated KD Pine
D	TJPS0ITE	183 x 38	Treated KD Pine
E	TJPMTE	87 x 66	Treated KD Pine
F	TJPJ145/35TE	145 x 42	Treated KD Pine

* Made to order.

- All products only available in complete lengths of 5.4m or half lengths of 2.7m.

TURNED TIMBER TABLE LEGS

Our standard range of Turned Table Legs are available in untreated, paint quality Pine.



20
TTL20



50
TTL50



60
TTL60



80
TTL80



90
TTL90

	Code (Single)	Code (Set of 4)	Dimensions mm	Finish: Untreated KD Pine
20	TTL20P	TTL20S4P	750 x 90 x 90mm	
50	TTL50P	TTL50S4P	755 x 65 x 65mm	
60	TTL60P	TTL60S4P	750 x 90 x 90mm	
80	TTL80P	TTL80S4P	403 x 90 x 90mm	
90	TTL90P	TTL90S4P	360 x 90 x 90mm	

* Made to order.

VERANDAH & GATE POSTS

In addition to the large range of exterior timber products in stock, we can custom make. Please ask us for a quote.

1



Our Pine H5 Treated Laminated Posts are ideal for all external applications. Produced with a raw timber finish and a small radius on the corners.

2



Our Turned Verandah Posts are made from Treated Pine.

Product Code	Dimensions
1 Dressed Laminated H5 Posts *	
88mm Posts:	
TGPL88/2.4	88 x 88mm x 2.4m
TGPL88/3.0	88 x 88mm x 3.0m
TGPL88/3.6	88 x 88mm x 3.6m
112mm Posts:	
TGPL112/2.4	112 x 112mm x 2.4m
TGPL112/3.0	112 x 112mm x 3.0m
TGPL112/3.6	112 x 112mm x 3.6m
135mm Posts:	
TGPL135/2.4	135 x 135mm x 2.4m
TGPL135/3.0	135 x 135mm x 3.0m
TGPL135/3.6	135 x 135mm x 3.6m

Product Code	Dimensions
2 Turned Laminated Verandah Posts *	
88mm Posts:	
TVPT88/2.4	88 x 88mm x 2.4m
135mm Posts:	
TVPT2.4L	135 x 135mm x 2.4m
TVPT3.0L	135 x 135mm x 3.0m


* Made to order.

FINIALS

Finials are a classic Villa feature placed at the top of gable ends.

Together with a large range of turned products in stock, we can custom make/turn to suit your requirements.

Please ask us for a quote.



	Product Code	Dimensions mm	Finish
A	TFA700	65 x 65 x 700	Treated Pine PP
	TFA900	65 x 65 x 900	Treated Pine PP
	TFA1200	65 x 65 x 1200	Treated Pine PP
B	TFB700	65 x 65 x 700	Treated Pine PP
	TFB900	65 x 65 x 900	Treated Pine PP
	TFB1200	65 x 65 x 1200	Treated Pine PP
C	TFC1500	90 x 90 x 1500	Treated Pine PP
	TFC1800	90 x 90 x 1800	Treated Pine PP
	TFC2100	90 x 90 x 2100	Treated Pine PP
D	TFD1500	90 x 90 x 1500	Treated Pine PP
	TFD1800	90 x 90 x 1800	Treated Pine PP
	TFD2100	90 x 90 x 2100	Treated Pine PP

BALUSTERS

In addition to the large range of turned products in stock, we custom make and/or can match to an existing design if provided with a sample. Please ask us for a quote or for more information.



A TBLA42T | B TBLB58T | C TBLC58T | D TBLD58T | E TBLE42T | G TBLG42T | H TBLH42T | LM&N TBLL42T

	Product Code	Dimensions mm	Finish	Suitable For
Stock & Standard Balusters:				
A	TBLA42T	42 x 42 x 860	Treated KD	*Handrails: HR1– HR5* *Bottom Rails: BR1– BR9*
B	TBLB58T	58 x 58 x 860	Treated KD	*Handrails: HR1, HR2* *Bottom Rails: BR5, BR6*
	TBLB65T	65 x 65 x 860	Treated KD	
C	TBLC58T	58 x 58 x 860	Treated KD	*Suitable Handrails: HR1, HR2* *Bottom Rails: BR5, BR6*
	TBLC65T	65 x 65 x 860	Treated KD	
D	TBLD58T	58 x 58 x 860	Treated KD	*Handrails: HR1, HR2* *Bottom Rails: BR5, BR6*

	Product Code	Dimensions mm	Finish	Suitable For
E	TBLE42T	42 x 42 x 860	Treated KD	*Handrails: HR1– HR5* *Bottom Rails: BR1– BR9*
G	TBLG42T	42 x 42 x 860	Treated KD	*Handrails: HR1– HR5* *Bottom Rails: BR1– BR9*
H	TBLH42T	42 x 42 x 860	Treated KD	*Handrails: HR1– HR5* *Bottom Rails: BR1– BR9*
L	TBLL42T	42 x 42 x 1200	Treated KD	*Handrails: HR1– HR5* *Bottom Rails: BR1– BR9*
M & N	TBLM42T	42 x 42 x 950	Treated KD	
	TBLM42P	42 x 42 x 950	Untreated KD	

VILLA NEWEL POSTS


	Product Code	Dimensions mm	Finish
135mm Turned Newel Posts:			
LA	TNPLAT *	130 x 130 x 1350	H3.2 Treated
LB	TNPLBT *	130 x 130 x 1350	H3.2 Treated
LD	TNPLDT *	130 x 130 x 1350	H3.2 Treated

* Made to order.



LA TNPLA | LB TNPLB | LD TNPLD

VILLA NEWEL POSTS *(Continued)*



A TNPA | B TNPB | C TNPC | D TNPE | E TNPG | F TNPH | G TNPI

		Product Code	Dimensions mm	Finish
90mm Newel Posts:				
A		TNPA	90 x 90 x 1350	Treated Pine
	Half Post:	TNPA1/2 *	42 x 90 x 1350	Treated Pine
B		TNPB	90 x 90 x 1350	Treated Pine
	Half Post:	TNPB1/2 *	42 x 90 x 1350	Treated Pine
C		TNPC	90 x 90 x 1350	Treated Pine
	Half Post:	TNPC1/2 *	42 x 90 x 1350	Treated Pine
D		TNPE	90 x 90 x 1350	Treated Pine
	Half Post:	TNPE1/2 *	42 x 90 x 1350	Treated Pine
E		TNPG	90 x 90 x 1350	Treated Pine
	Half Post:	TNPG1/2 *	42 x 90 x 1350	Treated Pine
F		TNPH	90 x 90 x 1350	Treated Pine
	Half Post:	TNPH1/2 *	42 x 90 x 1350	Treated Pine
G		TNPI	90 x 90 x 1350	Treated Pine
	Half Post:	TNPI1/2 *	42 x 90 x 1350	Treated Pine

* Made to order.

BUNGALOW NEWEL POSTS

Again, we provide a custom make and/or match service, in addition to our Bungalow Newel Post stock range.

Please ask us for a quote or for more information.



S
TNPBS



T
TNPBT

Ordering Guidelines:

- Newel Post S has a flat section below the cap for a handrail fitting.
- Newel Post T has two framed panels on each face. One or more of the top panels can be left blank for a handrail.
  Please advise at the time of ordering how many and which panels to leave blank.

	Code	Width at Base x Height mm	Finish
S	TNPBS *	150 x 150 x 1500	Untreated KD Pine
	TNPBST *	150 x 150 x 1500	H3.2 KD Pine
T	TNPBT *	150 x 150 x 1500	Untreated KD Pine


* Made to order.

POST CAPS

Post Caps are a not only a great decorative feature to add style and finishing to a post, but they also protect the end grain from weather. In addition to our wide range we can custom make to your own specific requirements. Please ask us for more details.




1 PCC



2 PCH



3 PCPL



4 PCPY



5 PCP



6 PCPYT



7 PCT



8 PCPBT



9 TBT



10 TBT90ST



11 TBT80A

Code	Int Dimensions mm (post)	
1 Colonial		
PCC95 *	95 x 95	Primed H3.2
PCC125 *	125 x 125	
PCC135 *	135 x 135	
PCC112	112 x 112	

* Made to order.

Code	Int Dimensions mm (post)	
2 Heritage		
PCH88	88 x 88	Primed Treated
PCH95	95 x 95	
PCH112	112 x 112	
PCH125 *	125 x 125	
PCH135 *	135 x 135	
PCH150 *	150 x 150	
PCH180 *	180 x 180	

Code	Int Dimensions mm (post)	
3 Plateau		
PCPL88	88 x 88	Primed Treated
PCPL95	95 x 95	
PCPL112	112 x 112	
PCPL125	125 x 125	
PCPL135	135 x 135	
PCPL150 *	150 x 150	
PCPL180 *	180 x 180	
4 Pyramid		
PCPY88	88 x 88	Primed Treated
PCPY95	95 x 95	
PCPY112	112 x 112	
PCPY125	125 x 125	
PCPY135	135 x 135	
PCPY150 *	150 x 150	
PCPY180 *	180 x 180	
5 Plain Post Cap		
PCP100	95 x 95	Raw H3.2
PCP135	135 x 135	
PCP150 *	150 x 150	
PCP180 *	180 x 180	
PCP75 *	95 x 75	

* Made to order.

Code	Int Dimensions mm (post)	
6 Pyramid Top Only		
PCPYT *	125 x 125 Primed H3.2	
7 Turks Head		
PCT100	90 x 90	Raw H3.2
PCT112	112 x 112	
PCT135	135 x 135	
PCT75	90 x 75	
8 Plain Post with Ball Top		
PCPBT100	95 x 95	Primed Treated
PCPBT112 *	112 x 112	

Code	Diameter mm	
9 Ball Top		
TBT80T	80mm	Raw H3.2
TBT125T	125mm	
TBT140T *	140mm	
TBT180T *	180mm	
10 Square Base Ball Top		
TBT90ST	90mm Post Raw H3.2	
11 Acorn Tops		
TBT80AT	80mm	Raw H3.2
TBT140AT *	140mm	
TBT180AT *	180mm	

TEARDROPS, BARGEBOARD TURNINGS, SPINDLES & ARCHITRAVE BLOCKS

A TTD25



B TTDA



C TTD42



D TTDA58



E TTD



	Code	Dimensions mm	
Teardrops:			
A	TTD25	25 diameter x 70	Treated Pine
B	TTDA	42 x 42 x 158	
C	TTD42	42 x 42 x 175	
D	TTDA58	58 x 58 x 215	
E	TTD58	58 x 58 x 230	
	TTD65	65 x 65 x 230	



M TBB85

	Code	Dimensions mm	
Bargeboard Turnings:			
M	TBB85	85 diameter x 30	Treated Pine
	TBB110	110 diameter x 30	
	TBB180	180 diameter x 30	

In addition to the stock products shown on these pages, we can custom make to your own specific requirements. Please ask us for more details.

O TAB90



P TAB125



Q TAB130



Architrave Blocks:

	Code	Dimensions mm	
O	TAB90	90 x 90 x 18	Untreated KD Pine
P	TAB125	125 x 125 x 18	
	TAB135	135 x 135 x 18	
	TAB135L *	135 x 135 x 35	
Q	TAB130L *	130 x 130 x 30	

* Made to order.

Spindles:

	Code	Dimensions mm	
G	TSP1 *	25 diameter x 70	Treated Pine
H	TSP3 *	32 diameter x 140	
I	TSP4 *	35 diameter x 180	
J	TSP5 *	40 x 40 x 155	
K	TSP6 *	32 diameter x 150	
L	TSP7 *	32 diameter x 130	

Note: Length measurements exclude the pins.



G TSP1



H TSP3



I TSP4



J TSP5



K TSP6



L TSP7



MOULDED CEILING ROSES

Intricately detailed and beautifully finished with sprayed primer, our Moulded Ceiling Roses are made from Urethane and are available in a range of sizes.



A FRU1520



B FRU8



C FRU9



D FRU10



E FRU12

	Code	Diameter mm	
A	FRU1520	400mm	Polyurethane
B	FRU8	495mm	
C	FRU9	530mm	

	Code	Diameter mm	
D	FRU10	600mm	Polyurethane
E	FRU12	825mm	

LACEWORK & BRACKETS

Fretwork Lace and Brackets are classic features of the New Zealand Villa.

All our Fretwork product is 21mm thick and is produced from Treated Pine.

All Lacework product is made to order and set-up fees may apply.

1 FLH/R *



2 FLH *



3 FBH



18 FBW



11 FBQ



14 FBO



10 FLQ *



5 FBJ



16 FBC



13 FBL



4 FBR



* Made to order.

7 FBP



6 FLP *



9 FBG



17 FBM



8 FBS



19 FLK *



21 FBK



20 FLF *



25 FLI *



24 FBA



29 FBD



26 FBI



27 FBX *



22 FBB



* Made to order.

LACEWORK & BRACKETS *(Continued)*

	Code	Width mm	Height mm	
1	FLH/R *	140	1m	KD Pine Treated
2	FLH *	140	1m	
3	FBH	280	600	
4	FBR	370	600	
5	FBJ	280	560	
6	FLP *	140	1m	
7	FBP	280	590	
8	FBS	280	395	
9	FBG	380	425	
10	FLQ *	140	1m	
11	FBQ	255	500	
13	FBL	370	600	
14	FBO	180	235	
16	FBC	280	600	

	Code	Width mm	Height mm	
17	FBM	280	650	KD Pine Treated
18	FBW	140	140	
	FBWL	183	240	
19	FLK *	140	1m	
20	FLF *	140	1m	
21	FBK	280	600	
22	FBB	280	600	
24	FBA	210	345	
25	FLI *	140	1m	
26	FBI	280	600	
27	FBX *	280	600	
29	FBD	280	445	

* Made to order.





BUNGALOW BRACKETS

These Brackets are designed for Bungalow and arts and crafts-styled properties.
They are 65mm thick and are suited to 90mm and 112mm posts.

	Code	Width mm	Height mm	
A	FBBA1T *	500	750	KD Pine
B	FBBD1T *	500	500	

* Made to order.



INTERIOR CORBELS


	Code	Dimensions mm	
1	TCOR1F **	290 x 136 x 80	
2	TCOR2P	260 x 125 x 68	KD
3	TCOR3P	260 x 88 x 87	

** Produced from moulded fibreglass, TCOR1F is suitable for exterior and interior.



EXTERIOR CORBELS

	Code	Dimensions mm	
E	TCOR5	211 x 150 x 71	KD
F	TCOR6	150 x 135 x 60	



EAVES BRACKETS

In addition to Eaves Bracket and Fence products held in stock, we custom make and/or can match to an existing design if provided with a sample.

A TBR1T



B TBR2T



C TBR3T




D TBR4T



E TBR5T



F TBR6T



G TBR7T



H TBR8T



	Code	Dimensions mm	Finish
A	TBR1T	155 x 80 x 30	Kiln Dried
B	TBR2T	160 x 95 x 18	Kiln Dried
C	TBR3T	177 x 137 x 30	Kiln Dried
D	TBR4T	185 x 122 x 40	Kiln Dried
E	TBR5T	240 x 160 x 30	Kiln Dried
F	TBR6T	240 x 147 x 65	Kiln Dried
G	TBR7T	215 x 205 x 45	Kiln Dried
H	TBR8T	240 x 213 x 45	Kiln Dried
I	TBR9T	177 x 137 x 65	Kiln Dried
J	TBR10T	248 x 220 x 87	Kiln Dried


I TBR9T



J TBR10T



FENCE PALINGS



Decorated Palings:		
FP1 *	860 x 140 x 18	H3.2 KD
FP2 *	860 x 140 x 18	H3.2 KD
FP3 *	860 x 140 x 18	H3.2 KD
FP5 *	860 x 140 x 18	H3.2 KD
FP6 *	860 x 140 x 18	H3.2 KD
FP7 *	860 x 140 x 18	H3.2 KD

* Made to order.

VERANDAHS

The following photos showcase a selection of some of our favourite customer-designed verandah combinations.

Listed below are components used and product codes.

Please Note: These images are intended to illustrate the products only. The New Zealand Building Code specifies requirements for Balustrade and Barrier design.

Villa 1: Turned Balusters, Fretwork Brackets, Handrail, Bottom Rail & Teardrops:



Handrail	MHR1T
Bottom Rail	MBR5T
Baluster	TBLC58T

Fretwork Bracket	FBC
Teardrop	TTD42

Villa 2: Villa Verandah with Verandah Post, Collar, Handrail, Bottom Rail, Baluster, Newel, Fretwork Brackets, Spindle and Teardrops:



Verandah Post	TGPL88/3.0
Collar	MLT
Handrail	MHR30T
Bottom Rail	MBR5T
Baluster	TBLB58T

Newel	TNPB
Fretwork Bracket	FBR
Spindle	TSP5
Teardrop	TTD42

VERANDAHS *(Continued)*

Villa 3: Villa Verandah with Collar Mould, Fretwork Brackets, Finial, Post Caps and Teardrops:



Collar Mould	MLT
Fretwork Bracket	FBJ
Finial	TFD1500

Teardrop	TTD42
Post Cap	PCPL88

Villa 4: Villa Verandah with turned Balusters, Newel Posts, Handrail, Bottom Rail and Fillet:



Handrail	MHR3T
Bottom Rail	MBR2T
Fillet	MF1T

Newel Post	TNPLAT
Baluster	TBLM42T

Please Note: These images are intended to illustrate the products only.
The New Zealand Building Code specifies requirements for Balustrade and Barrier design.

CARE OF TIMBER PRODUCTS

Timber is a natural product, which is not only attractive but extremely versatile to work with. It's no surprise that despite many other materials being available, timber remains popular.

By following some basic guidelines and ongoing care, timber joinery, mouldings, turnings and other renovation products will provide many years of faithful service.

INTENDED USE

It is important that the renovation product you are purchasing is suitable for the intended end use. Please ask our sales personnel for advice before placing your order if you are unsure about the best product for your particular application.

SITE STORAGE

Mouldings, Turnings & Other Timber Renovation Products

All mouldings and timber products should always be stored in a dry, ventilated environment away from direct sunlight. Mouldings should also be stored off the ground and on a level surface.

PRIMING / SEALING

Exterior Joinery

For all exterior joinery we recommend priming/sealing prior to installation.

Use only premium quality oil-based alkyd primers and sealers.

Within four weeks of receiving your joinery, you will need to apply a minimum of two successive coats (preferably oil-based enamel) to all primed surfaces, paying special attention to all 'end grain' surfaces. (These are usually the tops and bottoms of doors and window sashes). End grain areas are where a large percentage of moisture uptake occurs and can cause the most common problems. e.g. Swelling, shrinkage and joint failure.

Mouldings, Turnings & Other Timber Renovation Products

For all mouldings, turnings and other timber products, prime or seal all six surfaces of the product immediately upon reaching site.

Then continue with the procedures outlined above for exterior joinery products.

All cuts should be sealed prior to installation.

For LOSP treated products that are for exterior use, cuts will need an application of a timber preservative such as 'Metelex.'

STAIN QUALITY PRODUCTS

The aforementioned guidelines should also be followed for stain quality products.

Exterior wood stains permeate the surface and work primarily by shedding liquid water from a water repellant surface. As a result, they perform best on vertical surfaces.

When used on near horizontal surfaces, they can be less effective and have a shorter life.

TIMBER TREATMENTS

For exterior use, softwoods such as Radiata Pine require treatment with a preservative. Furthermore, different applications require different levels of treatment.

All products that include a 'T' within the code's suffix are treated.

LOSP H3.1 Treated products will only accept an oil based alkyd primer. Acrylic based primers will not fully adhere to the solvent based LOSP treatment.

Successive top coats may be acrylic or water based paints.

If you are unsure of the treatment value of your product, please ask us prior to priming.

INSTALLATION

All Bungalow & Villa products require installation by suitably qualified personnel.

Incorrect installation will result in disappointing and poor performance, together with an overall shortened life expectancy of the product.

SPECIFICATION REFERENCES

PAINT QUALITY PRODUCTS

Paint Quality Products are usually FJ Pine, however, may occasionally be other timbers.
Paint Quality Products should be prepared in accordance with best trade practice prior to painting.

CANCELLATION, CREDIT, CLAIMS & RETURNS PROCEDURE

Bungalow & Villa endeavours to ensure all consignments despatched reach you in full, on time and in the best possible condition, however, on some occasions this does not happen. We are therefore trying to improve the way claims for freight damage and credits are handled.

To do this successfully we need your help.

Please ensure your inwards goods team thoroughly inspect the delivery of product for any damage before signing the consignment note.

If damage is discovered, sign the freight contractor's consignment note as 'DAMAGED' (please do not make any further notation of any kind on the consignment note, as this may void any claim).

Following that, please notify us either by email or call our office toll free as soon as possible:

- sales@bungalowandvilla.co.nz
- 0800 428 642

Please note claims of this nature cannot be accepted for consideration more than seven days following delivery.

When you have made contact with us we will organise to have the damaged items sighted by one of our team.

Please have the items ready as soon as possible, so once sighted we can arrange for the consignment to be collected. If you would like replacement product, we will action this as soon as possible.

We understand that not all damage is visible immediately and can only be seen when goods are unpacked. If this is the case please notify us immediately. Please bear in mind that unless we are notified of concealed damage within 48 hours of delivery, a credit will not be possible.

In the event your order has been short supplied, a product has been sent incorrectly or there is a pricing error, we ask that you notify our Customer Service Team or your Representative as soon as practicable.

For any claim, if you have the ability to photograph the issue and forward the image to us, it would be greatly appreciated. However, we still require product returns to be sighted by one of our team before they are returned for credit.

To ensure the credit is processed in a timely manner, please quote the Bungalow & Villa invoice number on all correspondence.

It is important to note that goods disposed of will not be credited if not first sighted and authorised by a representative of Bungalow & Villa.

Returns due to customer error are subject to a 30% restocking fee and must be in the originally supplied condition. Return freight must be organised by the customer.

The Team at Bungalow & Villa is working closely with our freight contractors to ensure our products are delivered to you in the best possible condition — so we really appreciate your continued co-operation.

If you have any questions regarding this Procedure, please contact our Office on **ph: 0800 428 642.**



GLOSSARY OF TERMS

The building and construction industry often uses trade jargon. This Glossary has been compiled to assist, however, if there is information within this catalogue that need clarification, please ask — we will be more than happy to help.

ACORN TOP
Top of a picket or post, cut or turned to the shape of an acorn.

ARCHITRAVE
A moulding surrounding a door or window opening.

ARCHITRAVE BLOCK
Square block with turned centre, used at the intersection of head and jamb architraves as an alternative to a mitre finish.

BALUSTER
A short post, one of a series supporting a handrail.
(A series of balusters is called a balustrade).

BEVEL
A surface that meets another at an angle less than 90°.

BOLECTION MOULDING
A moulding rebated to cover the edge of a frame.

CEILING BATTEN
A colonial profiled timber strip covering ceiling board joins generally 300mm or 1ft apart.

CORNICE / SCOTIA
A moulding at the junction of a wall and ceiling, made of timber, plaster or pressed metal.
Also on the exterior of a building as a projecting moulding marking the junction of wall and roof.

EAVES BRACKET
An ornamental bracket used on the underside of boxed eaves.

FINIAL
A formal ornament at the top of a canopy, gable, pinnacle, etc.

FRETWORK
A carved or cut ornamental feature, or pierced ornamental grille.

FRETWORK LACE
Detailed fret-cut boarding, overhead at verandah boundary.

KD (KILN DRIED) PRODUCTS
This is a raw, unprimed product that is usually Finger Jointed Radiata Pine. Select products are available in Clear Timber Grade.

NEWEL
An upright post forming part of the balustrade at the foot or head of a stair or at a point of change of direction.

REBATE
A stepped recess along the edge of a work piece or component.
Also known as Rabbet.

SKIRTING
Decorative or plain dressing board used to cover the junction between an interior floor and wall.

SPINDLE
Ornamental, turned spindle used in overhead verandah dressing (sometimes instead of cut fretwork).

TEAR / ACORN DROP
Ornamental, turned spindle used in conjunction with fretwork verandah details.

VERANDAH PALING
Flat decorative fret-cut boarding used in exterior (sometimes interior) balustrade between handrail and bottom rail.

WAINSCOTTING
Wood lining, usually panelled, applied to interior walls.



Bungalow & Villa

TIMBER RENOVATION PRODUCTS

Phone: (07) 846 1502 or 0800 428 642

Showroom & Sales: 12–14 Allen Mills Road, Rotorua

info@bungalowandvilla.co.nz

www.bungalowandvilla.co.nz